

Printed from NOAH Compendium (<https://hub21.community.librios.com>). (c) Copyright NOAH Compendium 2026. All Rights Reserved.

**Date: Wednesday, February 18, 2026 14:21**

[Dechra Veterinary Products](#)

**Telephone:**01939 211200

**Website:**[www.dechra.co.uk](http://www.dechra.co.uk)

**Email:**[info.uk@dechra.com](mailto:info.uk@dechra.com)

**Pardale-V™ Oral Tablets**

**Species:**Dogs

**Therapeutic indication:Pharmaceuticals: Neurological preparations:** Analgesics

**Active ingredient:**Codeine Phosphate, Paracetamol

**Product:**Pardale-V™ Oral Tablets

**Product index:**Pardale-V Oral Tablets

**Incorporating:**

**Qualitative and quantitative composition**

Each tablet contains: Active substances:

Paracetamol 400.0 mg

Codeine phosphate hemihydrate 9.0 mg

**Pharmaceutical form**

Tablet. White, flat tablets with a bevelled edge and a break-line.

**Clinical particulars**

**Target species**

Dogs.

**Indications for use**

For analgesic therapy in dogs only. The product is indicated for acute pain of traumatic origin, as a complementary treatment in pain associated with other conditions and post operative analgesia.

**Contraindications**

Do not exceed stated dose or duration of treatment.

Use is contraindicated in animals suffering from cardiac, hepatic or renal disease, where there is a possibility of gastrointestinal ulceration or bleeding, or where there is evidence of a blood dyscrasia or hypersensitivity to the product.

Do not use this product for cats.

Do not use in cases of hypersensitivity to the active substances or any of the excipients.

### **Special warnings for each target species**

Seek veterinary advice if the treated condition does not improve or worsens during treatment, or if any side-effects or adverse reactions are experienced.

### **Special precautions for use in animals**

Use in animals less than 6 weeks of age or in aged animals may involve additional risk. If such use cannot be avoided, animals may require a reduced dosage and careful clinical management.

Avoid use in dehydrated, hypovolaemic or hypotensive animals, as there is a potential risk of increased renal toxicity.

### **Special precautions to be taken by the person administering the veterinary medicinal product to animals**

Wash hands after use.

### **Adverse reactions**

Occasional constipation may occur due to codeine content.

During the post-marketing surveillance, transient gastrointestinal signs such as vomiting and diarrhoea and systemic signs such as lethargy and anorexia have been observed very rarely.

The frequency of adverse reactions is defined using the following convention:

- very common (more than 1 in 10 animals treated displaying adverse reaction(s))
- common (more than 1 but less than 10 animals in 100 animals treated)
- uncommon (more than 1 but less than 10 animals in 1,000 animals treated)
- rare (more than 1 but less than 10 animals in 10,000 animals treated)
- very rare (less than 1 animal in 10,000 animals treated, including isolated reports).

### **Use during pregnancy and lactation**

There are no known contraindications for use during pregnancy.

### **Interactions**

Concurrent administration of potentially nephrotoxic drugs should be avoided.

### **Amounts to be administered and administration route**

## NOAH Compendium

For oral administration. 1 tablet/12 kg body weight every 8 hours.

**Small dogs** (up to 6 kg body weight):  $\frac{1}{2}$  tablet every 8 hours.

**Medium dogs** (6-18 kg body weight):  $\frac{1}{2}$ - $1\frac{1}{2}$  tablets every 8 hours.

**Large dogs** (18-42 kg body weight):  $1\frac{1}{2}$ - $3\frac{1}{2}$  tablets every 8 hours.

Treat for a maximum of 5 days.

### Overdose

Immediately seek the advice of a veterinary surgeon, and show him/her the product literature.

Carry out lavage and treat with intravenous injection of acetylcysteine (200 mg/ml) at a rate of 140 mg/kg every 6 hours for 7 treatments. Ascorbic acid (30 mg/kg) should also be given orally with each dose of acetylcysteine.

If necessary instigate fluid therapy using Ringers or bicarbonate solution.

Treat for codeine overdose with injection of naloxone (1.0 mg/kg) repeated as necessary.

Provide oxygen support.

### Pharmacological particulars

*Pharmacotherapeutic group:* Analgesics, other analgesics and antipyretics, anilides.

*ATCvet code:* QN02BE71

### Pharmacodynamic properties

Paracetamol is a para aminophenyl derivative with analgesic properties.

Codeine is an opioid analgesic.

### Pharmacokinetic properties

Both paracetamol and codeine are readily absorbed from the gastrointestinal tract. They are metabolised in the liver (codeine to morphine and narcodeine). Codeine and its metabolites are excreted almost entirely by the kidney, whilst less than 5% of paracetamol is excreted unchanged.

### Pharmaceutical particulars

#### Excipients

Pregelatinised starch

Povidone (30K)

Maize starch

Magnesium stearate

#### Shelf life

## **NOAH Compendium**

Shelf life of the veterinary medicinal product as packaged for sale: 3 years.

### **Special precautions for storage**

Do not store above 25°C.

### **Immediate packaging**

Polypropylene container with a low density polyethylene tamper evident lid, containing 100 or 500 plain white, flat tablets with bevelled edges and a break line on one side and DPL on the other.

Not all pack sizes may be marketed.

### **Disposal**

Any unused veterinary medicinal product or waste materials derived from such veterinary medicinal products should be disposed of in accordance with local requirements.

### **Marketing Authorisation Holder (if different from distributor)**

Dechra Regulatory BV, Handelsweg 25, 5531 AE Bladel, The Netherlands.

### **Marketing Authorisation Number**

GB: Vm 50406/5027

NI: Vm 50406/3022

### **Significant changes**

### **Date of the first authorisation or date of renewal**

15 April 1993

### **Date of revision of the text**

February 2025

### **Any other information**

For animal treatment only. To be supplied only on veterinary prescription. Keep out of the sight and reach of children.

### **Legal category**

**Legal category:**POM-V

**Legal category description:**CD(Sch 5)

### **GTIN**

**GTIN description:**Pardale-V Oral Tablets 100 tablets:

**GTIN:**05701170427479

**NOAH Compendium**

**GTIN description:**Pardale-V Oral Tablets 500 tablets:

**GTIN:**05701170427486